**Bibliography:**


- AR Katritzky, Xiangfu L, Wei-Quang F(1994), Benzotriazole as synthetic auxiliary: Benzotriazolyl alkylations and Benzotriazole mediated heteroalkylation. Synthesis: 445-56.
- AR Katritzky(1999). The continuing magic of benzotriazole: An overview of some recent advances in synthetic methodology. J Heterocycl Chem;36(6):1501-22
- A Najda-Bernatowicz et al (2009). Synthesis of new analogs of benzotriazole, benzimidazole and phthalimide—potential inhibitors of human protein kinase CK2. Bioorg Med Chem;17:1573–78.
- BR Durai Nayagam, SR Jebas(2009), JP Edward Rajkumar, Dieter Schollmeyer. 1-(2,3,5,6-Tetramethylbenzyloxy)-1*H*benzotriazole. Acta Cryst;65(E): 917. doi:10.1107/S1600536809010794.
- Cappello B, et al.(1993). Synthesis and muscarinic receptor binding profiles of antagonist benzotriazole derivatives. Farmaco;48(7):907-18.
- Chavon RW (2003). Benzotriazole-mediated Synthesis of *N*-acylbenzotriazoles and 2*H*-azirines. Thesis submitted to niversity of Florida. p.1-50
- Chung-Yi Wu et al (2006). Stable Benzotriazole Esters as Mechanism-Based Inactivators of theSevere Acute Respiratory Syndrome 3CL Protease. Chem Biol; 13:261–68.
- David GLM, Mario ST, John RR (1991). 2(2-Hydroxyphenyl)-benztriazole derivatives, substituted by branched long chain alkyl groups containing ester moieties. US Patent 4,996,326, Feb 1991.
- Fatima AO, Rafat MM, Adel AEK (2002). Synthesis and Biological Effects of New Derivatives of Benzotriazole as Antimicrobial and Antifungal Agents. J Heterocycl Chem 2002; 39:877-83.
- Giuseppe Caliendo et al (2002). A convenient synthesis by microwave heating and pharmacological evaluation of novel benzoyltriazole and saccharine derivatives as 5-HT1A receptor ligands. European J Pharm Sci;16: 15–28.
- Helmute PB, Klaus ML(1991). Process for the preparation of Benzotriazole derivatives. US Patent 4,999,433, Mar 1991.
- Hironori Oda (2008). Photostabilization of organic thermochromic pigments:

Action of benzotriazole type UV absorbers bearing an amphoteric counter-ion moiety on the light fastness of color formers. Dyes and Pigments 2008;76:270-76.

- Jagattaran D, et al (2005). Effects of positional and geometrical isomerism on the biological activity of some novel oxazolidinones. Bioorg Med Chem Lett.;15: 337–43.
- Jie Fu et al (2010). Discovery of 1H-benzo[d][1,2,3]triazol-1-yl 3,4,5 trimethoxybenzoate as a potential antiproliferative agent by inhibiting histone deacetylase. Bioorg. Med. Chem;18:8457–62.
- Jun Wan, Peng CLV, Na NT, Hai LZ(2010). Facile Synthesis of novel Benzotriazole derivatives and their antibacterial activity. J Chem Sci; 122(4):597-606.
- Kamal MD, Hassan AG, Eman AR, Mohey E, Hanan AM(2006). Synthesis, anticonvulsant, and anti-inflammatory evaluation of some new benzotriazole and benzofuran-based heterocycles. Bioorg. Med. Chem;14:3672–80.
- Asati KC, Srivastav SK, Srivastav SD(2006). Synthesis of 5-arylidene-2-aryl-3-(benzotriazoloacetamidyl)-1,3-thiazolidin-4-ones as analgesic and antimicrobial agents. Indian J Chem 2006;46(B):526-31.
- Koen HG et al(2008). A Structural View of the Inactivation of the SARS Coronavirus Main Proteinase by Benzotriazole Esters. Chem Biol; 15:597–606.
- Kuo-Long Yu, et al(2003). Fundamental Structure–Activity Relationships Associated with a New Structural Class of Respiratory Syncytial Virus Inhibitor. Bioorg Med Chem Lett: 13: 2141–44.
- Katarzyna K et al(2004). Synthesis and activity of 1H-benzimidazole and 1H-benzotriazole derivatives as inhibitors of Acanthamoeba castellanii. Bioorg Med Chem;12:2617-24.
- Katarzyna K et al(2005). Corrigendum to ‘‘Synthesis and activity of 1H-benzimidazole and 1H-benzotriazole derivatives as inhibitors ofAcanthamoeba castellanii’’ Bioorg Med Chem;13:3601.
- KP Namdeo, Singh VK, Prajapati SK(2009). Synthesis of some 2-(substituted)-5-[(N-Benztriazolomethyl)-1,3,4-Thiadiazolyl]-4-Thiazolidinones for their antifungal activity. Indian J Pharm Educ Res;43(3):266-70.

- LC Vishwakarma et al(1997). Process for the preparation of Benzotriazole derivatives. US Patent 5.675, 015. Oct 1997
- Lesław Sieron(2008). 1H-Benzotriazol-3-ium (1H-benzotriazole-*k*N3)trichloridocobaltate(II) monohydrate: a reformulation. Acta Cryst; 64(E):m58.
- Maria Bretner et al(2005). Synthesis and biological activity of 1*H*-benzotriazole and 1*H*-benzimidazole analogues – inhibitors of the NTPase/helicase of HCV and of some related *Flaviviridae.* Antiviral Chem Chemotherapy;**16:**315–26.
- Marija D. Lazarevicl, Jaaos Csanadi, Ljiljana Klisarova(1995). Synthesis of New Benzotriazole Derivatives. Bull, Chem, Technol Macedonia 1995;14(1):19 – 22.
- Matilde CVN, Thomas H(2010). Esterification of cellulose with acyl-1H-benzotriazole. Polym. Bull. 2010; DOI 10.1007/s00289-010-0250-9.
- Mervin Wood et al92004). Benzotriazoles containing phenyl groups substituted by hetero atoms and compositions stabilized therewith. US Patent 6,800,676, Oct 2004.
- MJ Chen, CY Li, CY. Tsai, BT(2010). Ko. 2-(2-Methoxy-5-methylphenyl)-2Hbenzotriazole *Acta Cryst* ;66(E):2279 [ doi:10.1107/S1600536810031363 ]
- M Purohit, SK Srivastava( 1992). Studies in aryloxylated benzotriazoles. Indian J Pharm Sci 1992;54(1):25-27
- Norah B, Rachedine K, Lamouri H, Bellara NK (2008). Synthesis of new amino-1,5-benzodiazepine and Benzotriazole derivatives from dimedone. *Org. Commun*; 1(3): 62-68.
- Pallav DP et al(2010). Design, synthesis and determination of antifungal activity of 5(6)-substituted benzotriazoles. European J Med Chem ; 45:2214–22.
- Paolo Sanna, Antonio C, Mohammad ERN(2000). Synthesis and antitubercular activity of 3-aryl substituted-2-(1*H*(2*H*) benzotriazol-1(2) yl)acrylonitriles#.Eur. J. Med. Chem; 35:535−543.
- Peter Ackerman, Max S(1994). Microbicidal Benzotriazole compounds. US Patent No: 5,322,853, June 21, 1994.
- Petr S, Hana S, Ivana C(2010). 1-Methanesulfonyl-1H-1,2,3-benzotriazole. Acta Cryst;66(E):02840.
- Prasad PD, Prathap SN, Vijaykumar JP, Sanjay J, Sudershan KA, Neelima

S(2005). Synthesis and antibacterial activity of novel (un)substituted benzotriazolyl oxazolidinone derivatives. Bioorg Med Chem Lett; 15: 3002–3005.

- Prasad PD, Vijaykumar JP, Prathap SN, Sanjay J, Neelima S, Sudershan KA (2006). Synthesis of 1-[3-(4-benzotriazol-1/2-yl-3-fluorophenyl)- 2-oxo-oxazolidin-5-ylmethyl]-3- substituted thiourea derivatives as antituberculosis agents. European J Med Chem;41: 423–28.
- Reneta Farkas et al(2010). Synthesis of New 2-(2´-Hydroxyaryl)benzotriazoles and Evaluation of Their Photochemical Behavior as Potential UV-Filters. *Molecules*;*15*:6205-16; doi:10.3390/molecules15096205.
- S. Balalaie, M. Mahdidoust and R. Eshaghi-Najafabadi(2007). 2-(1H-Benzotriazole-1-yl)-1,1,3,3-tetramethyluronium Tetrafluoroborate as an Efficient Coupling Reagent for the Amidation and Phenylhydrazation of Carboxylic Acids at Room Temperature. J. Iran. Chem. Soc; 4(3):364-369.
- S. Nanjunda S et al(2006). Microwave-assisted synthesis of N-alkylated benzotriazole derivatives: Antimicrobial studies. Bioorg Med Chem Lett;16:999–1004.
- Shukla DK, Srivastav SD(2008). Synthesis of some new 5-[2-{(1,2,3-benztriazole)-1-yl methyl}-1′-(4′-substituted aryl-3′-chloro-2′-oxo azetidine)]-amino-1,3,4thiadiazoles: Antifungal and Antibacterial agents. Indian J Chem;47(B): 463-69.
- Stefani B, Kaptur M, Elfringhoff AS, Lehr M(2009). 1-(5-Carboxyindol-1 yl)propan-2-ones as inhibitors of human cytosolic phospholipase $A_2\alpha$: Synthesis and properties of bioisosteric benzimidazole benzotriazole and indazole analogues. Bio Med Chem Lett;19(8):2107-11.
- Stephen DP et al(2004). Substituted 5-aryl-2-(2-Hydroxyphenyl)-2H-Benzotriazole UV absorbers, compositions stabilized therewith and process for preparation thereof. US Patent No:: 6,774,238 B2, dated Aug 10, 2004.
- Stephen DP et al(2006). Substituted 5-aryl-2-(2-Hydroxyphenyl)-2H-Benzotriazole UV absorbers, compositions stabilized therewith and process for preparation thereof. US Patent No: 7,148,274 B2, Dec 12, 2006.

- Stephen DP et al(2007). Substituted 5-aryl-2-(2-Hydroxyphenyl)-2H-Benzotriazole UV absorbers, compositions stabilized therewith and process for preparation thereof. US Patent No: 7,166,659 B2, Jan 23, 2007.
- Swati O, Usha A, NeelamD, GL Talesara(2007). Synthesis and Characterization of some alkoxy phthalimide derivatives of some benzotriazolylthiadiazoles and benzotriazolylthiazolidinones. Indian J Chem;46(B): 860-65.
- Vommina SV, Gundala C (2009). HOAt.DCHA as co-coupling agent in the synthesis of peptides employing Fmoc-amino acids chlorides as coupling agents: Application **to** the synthesis of β-casomorphine. Indian J Chem; 46(B): 981-88.
- Yadong S, Fangming L, Zhengfeng X, Jiasheng C, (2006). Synthesis of New Thiadiazoline Derivatives containing Triazolylmethyl or Benzotriazolylmethyl Substituents. Chemistry of Heterocyclic Compounds, 42( 4): 530-33